



* = lbs. (N)

inches (mm)

MODEL NO.	OVERALL LENGTH H	BUNDLE DIA.	TENSILE STRENGTH *	A ^{±.003}	B ^{±.003}	C	D	E	F	G
DCV-5	17.50 (444)	5.00 (127)	175 (777)	.083 (2.1)	.36 (9.1)	.425 (10.8)	.325 (8.2)	.560 (14.2)	17.07 (434)	1.00 (25.4)
DCV-6	21.50 (546)	6.00 (152.4)	175 (777)	.083 (2.1)	.36 (9.1)	.425 (10.8)	.325 (8.2)	.560 (14.2)	21.07 (535)	1.00 (25.4)
DCV-7	24.63 (626)	7.00 (177.8)	175 (777)	.083 (2.1)	.36 (9.1)	.425 (10.8)	.325 (8.2)	.560 (14.2)	24.20 (615)	1.00 (25.4)
DCV-8	28.00 (711)	8.00 (203)	175 (777)	.083 (2.1)	.36 (9.1)	.425 (10.8)	.325 (8.2)	.560 (14.2)	27.57 (700)	1.00 (25.4)
DCV-10	37.19 (945)	11.25 (286)	175 (777)	.083 (2.1)	.36 (9.1)	.425 (10.8)	.325 (8.2)	.560 (14.2)	36.77 (934)	1.00 (25.4)
DCV-13	45.50 (1155)	13.00 (330)	175 (777)	.083 (2.1)	.36 (9.1)	.425 (10.8)	.325 (8.2)	.560 (14.2)	45.07 (1145)	1.00 (25.4)
DCV-14	48.00 (1219)	14.00 (356)	175 (777)	.083 (2.1)	.36 (9.1)	.425 (10.8)	.325 (8.2)	.560 (14.2)	47.75 (1213)	1.00 (25.4)

(FOR HVAC APPLICATIONS)

CUSTOMER DRAWING

ALL-STATES

DCV-SERIES DUCT CLAMPS
CABLE TIES

UNLESS OTHERWISE SPECIFIED,
DIMENSIONAL TOLERANCES ARE:
(X) +/- (XXX) =/-
(XX) +/- ANGLES +/-

UNLESS OTHERWISE SPECIFIED,
ALL DIMENSIONS ARE GIVEN
IN INCHES AND THIRD ANGLE
PROJECTION.

1 06-16-08 SB DRAWING NO. WAS 10001-05

R 11-4-98 WJB RELEASED

REV DATE BY CHK

DESCRIPTION

ECN - R CUST SUP

DRAWN BY
WJB
DATE
11-4-98
CHK'D.

MATERIAL
NATURAL OR BLACK
NYLON 6/6

SCALE NONE

DRAWING NO. 10005-C

DWG.
A
SIZE