



* = lbs. (N)

inch (mm)

MODEL NO.	OVERALL LENGTH H	BUNDLE DIA.	TENSILE STRENGTH *	A:003	B:003	C	D	E	F	G	I
RTM-304	4.50 (114.3)	1.00 (25.4)	18 (80)	.046 (1.1)	.097 (2.7)	.183 (4.6)	.120 (3.0)	.175 (4.4)	4.07 (103)	1.00 (25.4)	#4 (M2.5)
RTM-400	5.50 (139.7)	1.00 (25.4)	30 (133)	.046 (1.1)	.115 (2.9)	.190 (4.8)	.150 (3.8)	.250 (6.3)	4.93 (125)	1.25 (31.7)	#4 (M2.5)
RTM-550	5.97 (151)	1.25 (31.7)	40 (178)	.050 (1.3)	.135 (3.4)	.205 (5.2)	.150 (3.8)	.255 (6.5)	6.00 (152)	1.31 (33.3)	#8 (M4)
RTM-675 ①	8.00 (203)	1.75 (44.4)	50 (222)	.055 (1.4)	.190 (4.8)	.270 (6.8)	.190 (4.8)	.45 (11.4)	7.25 (184)	1.325 (33.7)	#10 (M5)
RTM-1100 ①	12.00 (305)	3.00 (76.2)	50 (222)	.055 (1.4)	.190 (4.8)	.270 (6.8)	.190 (4.8)	.45 (11.4)	11.25 (286)	1.325 (33.7)	#10 (M5)
RTM-1400 ①	15.00 (381)	4.00 (101.6)	50 (222)	.055 (1.4)	.190 (4.8)	.270 (6.8)	.190 (4.8)	.45 (11.4)	14.25 (362)	1.325 (33.7)	#10 (M5)

ALL-STATES

RTM-SERIES
CABLE TIES

CUSTOMER DRAWING FILE RTM-SERIES

UNLESS OTHERWISE SPECIFIED,
DIMENSIONAL TOLERANCES ARE:
(X) +/- (XXX) +/-
(XX) +/- ANGLES +/-

UNLESS OTHERWISE SPECIFIED
ALL DIMENSIONS ARE GIVEN
IN INCHES AND THIRD ANGLE
PROJECTION.

2 06-16-08 SB DRAWING NO. WAS 10001-6

1 09-23-02 SB CORRECTED DIMENSIONS

R 06-28-99 WJB REDRAWN

DRAWN BY
WJB

MATERIAL

DATE
6-28-99

NYLON 6/6

SCALE NONE

DRAWING NO.

10006-C ②

DWG.
A
SIZE

REV DATE BY CHK DESCRIPTION

ECN - R CUST SUP

CHK'D.